Serial No. 09/050,614 Amendment A

comprising the steps of

attaching a carrier to [hold] <u>shape</u> the blood processing container outside the <u>arcuate</u> centrifugation channel in a [geometry generally] <u>rounded, flexed condition</u> conforming to [the shape of] the <u>arcuate</u> centrifugation channel, the carrier serving to resist deformation of the processing container [from the geometry],

inserting the <u>blood</u> processing [channel] <u>container</u> into the <u>arcuate</u> centrifugation [channel] <u>channel</u> while [held in the geometry] <u>shaped</u> by the carrier, and

performing a blood processing procedure <u>by conveying blood into the blood processing</u> <u>channel for flow in a circumferential path within the arcuate centrifugation channel while the arcuate centrifugation channel is rotated about a rotational axis.</u>

REMARKS

Figs. 1, 2, 3, 4, and 6 of the drawings have been amended to address the informalities noted by the Examiner. The Specification has also been amended in view of the amendment to Figs. 1 and 2, as well as to correct typographical errors noted by the Examiner.

Claims 1, 2, 16, 19, 22, and 23 have been amended. Claims 3 and 21 have been canceled.

Claims 1, 2, 4 to 20, 22, and 23 remain in the application. Claims 1, 2, and 19 are independent assembly claims, and claims 22 and 23 are independent method claims.

Reexamination and reconsideration are respectfully requested in light of these amendments and the remarks that follow.

Claims 7 and 16 stand rejected under 35 U.S.C. §112 for various reasons. In response, the disclosure of a carrier made from a thermally formed material (as defined in originally filed claim 7) has been placed in the Specification, thereby providing support for claim 7. Claim 16 has been amended to define a normally lay flat configuration for the processing chamber when not secured to the carrier. The rejections based upon Section 112 are believed to have been overcome.

The claims stand rejected under 35 U.S.C. § 102 (b) based upon Alterbaum (US 4,714,457), Schoendorfer (US 4,445,883), or Mitchell et al (US 3,674,197).

All independent claims have been amended to define an <u>elongated</u> processing container, which is inserted into and removal from an <u>arcuate</u> channel defined between inner and outer walls, so that fluids cen be conveyed <u>in a circumferential path</u> about the rotation axis for separation in a centrifugal field. As defined in the amended claims, a carrier is secured to the processing container to shape the processing container outside the arcuate channel in a <u>rounded</u>, <u>flexed</u>

Serial No. 09/050,614 Amendment A

<u>condition</u> conforming to the arcuate channel. The carrier limits deformation of the processing container during insertion into or removal from the arcuate channel.

Neither Alterbaum, Schoendorfer, or Mitchell are concerned with solving the fundamental problem the amended claims address; namely, shaping an elongated flexible container in a rounded, flexed condition so that it can be reliably loaded into an arcuate flow channel to convey fluid in a circumferential path about a rotational axis during centrifugal processing. Alterbaum, Schoendorfer, and Mitchell have nothing to teach or suggest regarding the problem or the solution, because Alterbaum, Schoendorfer, and Mitchell place bags that are <u>not</u> elongated into cylindrical buckets or openings, to direct fluid in an <u>axially</u> path <u>along</u> the axis of rotation during centrifugal processing. There is nothing in Alterbaum, Schoendorfer, or Mitchell to teach or suggest shaping an <u>elongated</u> processing container <u>into a rounded flexed condition</u> by securement to a carrier, for insertion or removal as a unit into an <u>arcuate</u> separation channel, to convey fluid in a <u>circumferential</u> path about a rotational axis. In Alterbaum, Schoendorfer, and Mitchell, the processing container is <u>not</u> elongated, it is <u>not</u> placed into an arcuate channel, and it does <u>not</u> carry fluids in a circumferential path about a rotational axis.

For these reasons, applicant respectfully requests the Examiner to withdraw the pending rejection of the claims.

Allowance of claims 1, 2, 4 to 20, 22, and 23 is respectfully requested.

Respectfully submitted,

Daniel D. Ryan

Registration No. 20,243

RYAN KROMHOLZ & MANION, S.C. P.O. Box 26618 Milwaukee, Wisconsin 53226-0618 February 2, 2000 050614a.ddr